


EmbedTech Interactive Flat Panel Display

Model No: ET-IFP-65



Features

- **65" Inch UHD Display:** Offers a large, ultra-high-definition screen for clear visuals.
- **Infrared (IR) Touch Technology:** Provides precise 20 Touch point
- **High Durability:** The screen features Mohs level 7 hardness with anti-glare glass.
- **OPS PC Slot:** Supports OPS & OPS-C Intel standard for easy integration.
- **Powerful Sound:** Comes with built-in 15Wx2 speakers for clear audio output.



Display specifications

Diagonal Display Size	65" inch
LED Brand	CSOT/BOE
Bezel Color	Aluminum frame (black color)
Back Light	Direct Type LED
Active area (mm)	65" inch (1428.48 * 803.52)
Resolution	3840 * 2160 / UHD
Aspect Ration	16:9
Contrast Ratio	1200:1/4000:1

Colors	1.07 Billion Colors
Brightness	350cd/m2
Viewing angle	178°
Glass hardness	Mohs-7 level
Screen Surface	4mm Thickness Anti-Glare Glass
Bonding Technology	Zero Bonded, no Air Gap Between the LED and glass

Panel Interactivity

Touch Technology	IR Touch
Touch Points	40 Points (Win 7/8/10) 20 Points Touch (Android)
Touch Accuracy	=2mm (Windows)
Recognition	Finger or Passive Stylus
Response Rate	<4ms (Single Touch) <10ms (max touch inputs)
Minimum object size	2mm
Response Time	<5 ms
Windows OPS Slot	OPS & OPS-C Intel Standard
Hotspot	Yes
Bluetooth	V 5.0
WiFi	IEEE802.11 a/b/g/n Dual Band 2.4 GHz/5 GHz Or IEEE802.11 an 2.4GHz
System Support	Win 10 / Win 8 / Win7 / Mac OS / Android / Chrome OS / Linux


Operating System

Android Version	Android 11.0
-----------------	--------------

Chipset	Amlogic T982
CPU	4XARM Cortex-A55
GPU	RM Mali-G52
RAM	DDR4 4GB(8G for optional)
ROM	32GB (128 for optional)
Compliant with	Windows; Mac; Linux; Chrome OS


Instruction of ports

Front Buttons




- ①、TYPE-C
- ②、HDMI
- ③、TOUCH
- ④、USB3.0
- ⑤、USB3.0

The Terminal ports of panel




- ①、HDMI OUT ②、RJ45 IN /OUT ③、PC AUDIO IN ④、VGA ⑤、DP ⑥、LINE OUT



- ①、OPTICAL OUT ②、RS232 ③、USB ④、HDMI ⑤、HDMI ⑥、TYPE-C
- ⑦、TOUCH OUT ⑧、USB ⑨、USB

Instructions of buttons and ports

Instruction of buttons



- ①、 Power
- ②、 Home
- ③、 Return
- ④、 Set
- ⑤、 Vol-
- ⑥、 Vol+

Front Side Connectivity

Front Ports	USB3.0 Type A *2, Touch USB 3.0 Type B *1, HDMI in 2.0 * 1, Type C *1
Front Button	Indicator: Red / Blue, Lighter Sensor, One Kroy recover Power/ Home/ Back /Setting/ V- / V+
Speaker	15W*2

Rear Side Connectivity

Rear Side Ports	<ol style="list-style-type: none"> 1. (Mini) MIC In*1 2. RS232*1 3. OPTICAL OUT*1 4. VGA*1 5. PC AUDIO IN*1 6. RJ45 in*1 7. TOUCH OUT (USB3.0) *1 8. HDMI in*2 9. USB2.0*1 10. USB3.0*1
-----------------	---

Physical Specifications

Net Weight/ (kg=2)	43
Gross Weight/ (kg=2)	53
Overall Size (mm) (without bracket)	1483.8 * 884.4 * 91
Overall Size (mm) (with bracket) (L*H*W)	1483.8 * 884.4 * 121
Carton Size (mm) (With Bracket) / (L*H*W)	1590 * 1110 * 200
VESA(mm)	500 * 400

Electrical

Input Voltage	90-264V AC
Power Consumption (Standby)	<0.5W
Power Consumption	Maximun< 225W

Environmental

Working Temperature	0°C ~ 40°C
Storage Temperature	20°C ~ 60°C
Working Humidity	10% ~ 90% RH
Storage Humidity	10% ~ 60% RH

Accessories

Accessories	Pen * 1pcs, Remote control *1pcs, 2m power cord *1pcs, wall mount kit;
-------------	--

OPS PC (Optional)

CPU	15 (13/17 for optional)
RAM	8G (4G / 16G for optional)
ROM	128G SSD (256G/512G)
Standrad	80 PIN (International Standard)
Dimension/cm	195*180*42/115*180*30

Camera (Optional)

Model	UHD Camera
Install Method	Built-in (on the middle-upper frame)
Pixel	12MP
FOV	Diagonal: 94°
Compliant with OS	Windows; Android; Mac; Linux; Chrome OS

Microphone (Optional)

Install Method	Built-in (on the middle-upper frame)
Number	8 Array
Voice Pickup	0-8M


Accessories (Optional)


Accessories	Wireless dongle (Optional); Mobile trolley cart(Optional); Smart Pen (Optional)
-------------	---

Contact us




INDIA


 H No 1-98/9/3/23, 2nd Floor, Samridhi Vasyam, Jaihind Enclave, Madhapur, Hyderabad, Telangana-500081, India.


 +91-7075739709

 sales@embedtechsolutions.com

 www.embedtechsolutions.com

USA

 16192 Coastal Highway, Lewes, Delaware 19958

 +1 (562) 685-8578



Scan Here

To Visit Our Store



Scan Here